


LUMI GLAZED SCREENS AND DOORS



LUMI means functional and decorative internal glazing, adapted to the individual design. It acts as a divider or space separation into separate zones without restricting light. An aluminium structure in matt black or natural anode, filled with glass (transparent, frosted, coloured, wired) or furniture board, optically enlarges the interior and provides additional light and soundproofing.

The system allows many options of installation: screens, doors in a frame, or partition walls with hinged or sliding doors in various configurations. A multitude of solutions and the ability to adapt the space to specific conditions and requirements let you create unique, fully personalized projects.

CONTENTS


[1] GLAZING WITH HINGED DOORS	2
[2] GLAZING WITH SLIDING DOORS	8
[3] INTERNAL SCREENS	14
[4] DOOR IN A FRAME	19
[5] SYSTEM COMPONENTS	24

[1] GLAZING WITH HINGED DOORS





Aluminium construction filled with glass or board, with hinged doors (single or double) in combination with upper transom and side fixed panels, in many configurations. The construction maximum height is 3 m. The length of the entire installation cannot exceed 4 m, and the maximum width of a single fixed panel or hinged doors is 1 m. The maximum height of the transom - 1 m and length - 2 m.

It is possible to make any divisions of the panel filling, horizontally and vertically. In panels higher than 2 m, at least one horizontal division should be made, in order to make the installation rigid. A specially designed vertical handle in three lengths is available for hinged doors. A door handle stylistically matched to the entire structure is on offer as well.




[CONFIGURATION EXAMPLES]







tr	anson	n	
door		door	


	止				<u>L</u>		H
Ħ		t	ransor	m			
pa	inel	door		door		panel	








					Ξ
P	anel	door	door	panel	





door door		door		door	
-----------	--	------	--	------	--


panel	door	door	


[EXAMPLES OF DIVISIONS AND FILLINGS]



































[TECHNICAL DETAILS]


FIXED PANEL ADJUSTMENT OPTION








masking p**l**ate






2 GLAZING WITH SLIDING DOORS



Single or double aluminium sliding doors, filled with glass or board, in combination with fixed side panels in various configurations, give the room an industrial feel.


The maximum height of the installation is 3 m and the length is 5 m. The width cannot exceed 1 m for fixed panel and 1,5 m for sliding door. Horizontal and vertical divisions can be made in any arrangement for both.

A special handle available in three lengths has been designed for the doors. Construction components are available in two colours: black matt and natural anode.




 $8 \,$

[CONFIGURATION EXAMPLES]



[EXAMPLES OF DIVISIONS AND FILLINGS]







TOP TRACK WITH ROLLER AND AIR SPRING

[TECHNICAL DETAILS]

FIXED PANEL ADJUSTMENT OPTION






3 INTERNAL SCREENS




Glazed internal screens with mullions, functioning as subtle partition walls. They provide additional light, soundproofing and optically enlarge the interior, giving the space separate functions. They stand out with their simple, minimalist form and lightness.


The screens are build of fixed panels only, based on subtle aluminium profiles in a black matt or natural anode finishing. The screens maximum height is 2 m, and the width is 2.75 m. Unlimited vertical and horizontal divisions of the screens and the multitude of design options provide wide possibilities of arranging the interior.




[CONFIGURATION EXAMPLES]


OPEN SCREEN








[EXAMPLES OF DIVISIONS AND FILLINGS]






[4] DOOR IN A FRAME







Glazed interior doors in an aluminium frame. A single, hinged leaf in a frame, with a grip or door handle. The variety of divisions and fillings allows the door to be adapted to all requirements, giving the interior a loft look.


Doors with a 1 m maximum width and a height of 2.5 m, based on an aluminium profile in black matt or natural anode, with option of horizontal and vertical divisions. The door filling can be glass (transparent, frosted, coloured, wired), a mirror or a board. The right or left door version is available. For the convenience of installation, two types of door frames have been designed: fixed and adjustable width.








[TECHNICAL DETAILS]





CASING PROFILES



[5] SYSTEM COMPONENTS



20-0925 GLAZIN STRIP CM, PR



20-0930 PLUG AN, CZ



21-1301 SMALL FIXING BRACKET



25-0925 AL25 SERIES 4 MM GASKET CM, PR



26-0181 AL26 MASKING STRIP HOLDER



26-0182 AL26 MASKING STRIP CATCH



27-0501AL27 BOTTOM SLIDING GUIDE CZ. SZ



27-0980AL27 BOTTOM STOPPER AN, CM



27-1400 AL27 RAIL, 2750 MM AN, CM



27-1700 AL27 SINGLE DOOR JOINER RAIL, 2750 MM AN, CM



27-2110AL27-2 TOP TRACK 2, 5000 MM



27-2130 AL27-2 ANGLE BRACKET



27-2131 AL27-2 SPACER WASHER



27-2140 AL27-2 SPACER INSERT



27-2180AL27-2 CEILING MASKING STRIP, 5000 MM
AN, CM



27-2181AL27-2 CEILING TRACK PLUG AN, CM



31-0600 LUMI TOP ROLLER



31-0895 AL31 MASKING STRIP 2750 MM AN, CM



31-0922 AL31 DOOR FRAME GASKET CZ, SJ



31-0923AL31 DOOR FRAME CASING GASKET CZ, SJ



31-1300 AL31 DOOR PROFILE 3050 MM AN, CM



31-1310 AL31 OPEN RAIL 3050MM AN, CM



31-1320 AL31 DOOR FRAME 3050 MM AN, CM



31-1321 AL31 DOOR FRAME 3550 MM AN



31-1322 AL31 DOOR FRAME 5300 MM AN, CM



31–1603 AL31 DOOR FRAME CASING 30, 5300 MM AN, CM



31-1607 AL31 DOOR FRAME CASING 70, 5300 MM AN, CM



31–2691 LUMI AIR SPRING COMPONENTS



31-5141 AL31 BUTT HINGE, LEFT CM, MS



31-5142 AL31 BUTT HINGE, RIGHT CM, MS



31-5143 LUMI DOOR LATCH



31-5144L LUMI DOOR LOCK, LEFT CM, MS



31-5144P LUMI DOOR LOCK, RIGHT CM, MS



31-5145 BUTT HINGE SPACER CM, MS



31-5210 LUMI FLAT BAR 12Xx4x3000 MM AN, CM



31-5220 LUMI ANGLE 50x25x4000 MM AN, CM



31-5240 LUMI C-CHANNEL BAR 12x12x3000 MM AN, CM



31-5250 LUMI FIXING BRACKET 50x25x2 AN, CM



31-5251 LUMI ADJUSTMENT INSERT



31-5252 LUMI C-CHANNEL BAR FOR ADJUSTMENT 4000 MM AN, CM



31-5253 MASKING PLATE OF LUMI ADJUSTABLE PANEL MS, CM



31-5260 LUMI DOOR CASING FIXING BRACKET 60x60x40



57-1300 LUMI DOOR HANDLE WITH ROUND PLATE CM, MS



57-1305 LUMI HANDLE 160 MM CM, MS



59-0731 SOCKET HEAD SCREW M6x18

CYLINDRICAL HEAD SELF DRILLING SCREW 3,5x16

59-0730



57-1309 LUMI HANDLE 288 MM CM, MS



57-1314 LUMI HANDLE 448 MM CM, MS



59-0732 SECURING NUT M6



59-0733 6,4 MM PLAIN WASHER



59-0702 MOUNTING SCREW 3.5x16 MM



59-0739 SCREW WITH WASHER 3.5x25



59-0719 HEADLESS SET SCREW M5x5



59-0740 SCREW WITH WASHER 3,5x13



59-0728 MOUNTING SCREW 3,9x38 MM



59-0749 MOUNTING SCREW 6,3x35



59-0751

COUNTERSUNK HEAD SELF-FORMING SCREW M5x10



59-0758

COUNTERSUNK SELF DRILLING SCREW 3,5x16



59-0759

COUNTERSUNK SELF DRILLING SCREW 3,5x19



59-2002

SCREW PLUG AN, CM

LUMI

LOFT STYLE DOOR AND GLAZING SYSTEM ILLUMINATES, DIVIDES AND GIVES UNIQUE TWIST



1590 The Queensway Toronto, Ontario M8Z IVI

416-533-4331 info@gemwindows.com